

Combining **power and precision.**

The professional hand-held circular saws for trade and industry from Bosch have been specially developed for the requirements of skilled construction site workers: they have powerful motors with extremely high torque and they can even withstand impacts on the hardest surfaces thanks to their high-quality metal components.

Bosch developed the first jigsaw for professional tradesmen in 1947, and has continually expanded and improved the product range ever since. Regardless of whether you need a tool for precise sawing at accurate angles or for robust use: Bosch offers the right jigsaw for every application.



Jigsaw**GST 65 E Professional****Top-class convenience in the entry level class**


- ▶ Streamlined, round handle with dimples for fatigue-free cutting
- ▶ Two-way lock-on button for left and right handed users
- ▶ Sturdy trumpet cable design

Other features

- ▶ Safety pin for user safety
- ▶ Stroke rate control
- ▶ Excellent power to weight ratio



Technical data	
Order number	0 601 509 ...
No-load stroke rate	500 - 3100 spm
Cable length	2.5 m
Stroke height	18 mm
Cutting depth in wood	65 mm
Cutting depth in aluminium	12 mm
Cutting depth in non-alloyed steel	3 mm
Scope of supply	
Saw blade	x
Screwdriver	x
Splinter guard (SP no. 2 601 016 065)	x

400 W 1.7 kg**Jigsaw****GST 85 PBE Professional****The classic tool**


- ▶ Sturdy "double" design: metal gear housing with additional plastic casing
- ▶ Perfect co-ordination and manufacturing quality of all components, for example gears, plunger and bearings for long service life
- ▶ With Bosch SDS system for convenient changing of saw blades

Other features

- ▶ Free view of saw blade and cutting line
- ▶ Sawdust blower can be switched on / off
- ▶ Dust extraction equipment
- ▶ Exemplary running smoothness
- ▶ Comprehensive range of saw blades for every application



Technical data	
Order number	0 601 587 ...
No-load stroke rate	500 - 3100 spm
Stroke height	26 mm
Cutting depth in wood	85 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Scope of supply	
1 anti-splinter guard	x
3 saw blades	x

580 W 2.4 kg

Jigsaw

GST 135 BCE Professional

Unique: precision at the push of a button

- ▶ At the push of a button the “Precision-Control” guide jaw adjusts itself automatically to the varying saw blade thicknesses for precise angle cuts and guidance
- ▶ Highest possible convenience with Bosch “SDS”, the world’s easiest way to change saw blades – using only one hand
- ▶ Constant sawing progress even under load due to Constant Electronic


Other features

- ▶ Accelerator function for sensitive sawing
- ▶ Exemplary running smoothness when sawing which ensures best results as well as fatigue-free working
- ▶ When working under extreme conditions its lifetime is up to five times that of conventional tools



Technical data	
Order number	0 601 511 ...
No-load stroke rate	500 - 2800 spm
Cable length	4.0 m
Stroke height	26 mm
Cutting depth in wood	135 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Scope of supply	
Carrying case (2 605 438 559)	x
Dust cover for vacuuming	x
Vacuum connection	x
3 saw blades, 1 splinter guard	x

720 W 2.7 kg



Hand-held Circular Saw

GKS 190 Professional

The powerful and robust tool

- ▶ Handy machine for circular saw work of all kinds in industry and in the trades
- ▶ Compact and lightweight
- ▶ For rip, cross and mitre cuts in wood and similar materials, mainly in free handling


Other features

- ▶ Spindle lock for easy changing of saw blades
- ▶ Infinitely variable setting of cutting depth
- ▶ Also suitable for left-handers



Technical data	
Order number	0 601 623 ...
No-load speed	5500 rpm
Saw blade bore	20.0 mm
Saw blade diameter	184 mm
Cutting depth (90°)	67 mm
Cutting depth (45°)	48 mm
Scope of supply	
Allen key KW 5	x
Parallel guide	x
Saw blade	x
Vacuum adapter	x

1400 W 4.1 kg



SP no. = Spare part number

Hand-held Circular Saw

GKS 235 Professional

The most powerful tool

- ▶ High power performance for faster cutting progress
- ▶ Robust stamped steel base plate
- ▶ Closed anti-snag aluminium die-cast lower guard w/o riving knife for longer service life



Other features

- ▶ Optimised chip ejection system for cleaner material surface
- ▶ Blower function for a dust free cutting surface
- ▶ Ambidextrous lock-off switch on both sides of grip for more convenience
- ▶ Dual guided bevel setting for more stability
- ▶ Integrated groove in base plate for direct 90° cuts on guide rail
- ▶ Cord system with ball joint for strain relief and longer service life of the cord



Technical data	
Order number	0 601 57A ...
No-load speed	5000 rpm
Saw blade bore	25.0 mm
Saw blade diameter	235 mm
Cutting depth (90°)	85 mm
Cutting depth (45°)	65 mm
Scope of supply	
Allen key KW 5	x
Parallel guide	x
Saw blade	x
Vacuum adapter	x

2100 W 7.6 kg



Chainsaw

GKE 40 BCE Professional

High torque under load

- ▶ 2100 W motor for high torque
- ▶ Constant Electronic for uniform sawing progress under load
- ▶ Tool-free chain changing and tensioning (Bosch SDS)

Other features

- ▶ The tool is optimally balanced and has a compact design as well as an ergonomic handle which ensures fatigue-free working
- ▶ Motor overload protection and smooth start-up for a long lifetime
- ▶ High level of protection due to kick-back brake and run-out brake with brake time of < 1.0 seconds
- ▶ Quality chain bar and chain for a long and therefore economical lifetime



Technical data	
Order number	0 601 597 ...
Chain bar, length	400 mm
Chain pitch	3/8 "
Chain speed	12.00 m/s
Cable length	2.5 m
Chain gauge	1.3 mm
Brake time of kick-back brake	<= 0,1 s
Brake time of run-out brake	<= 1 s
Scope of supply	
Chain 40 cm (2 604 730 001)	x
Double Guard chain bar 40 cm (2 602 317 051)	x
Transport protection (SP no. 1 605 510 329)	x

2100 W 4.8 kg

