



Range of applications for all cordless screwdrivers and cordless rotary hammers at a glance



Bosch Premium lithium-ion technology

Drill/Drivers / Screwdrivers / Angle Drivers						
		Weight incl. battery (kg)	Screw dia. in wood (mm)	Drilling dia. in wood (mm)	Drilling dia. in masonry (mm)	Drilling dia. in steel (mm)
			1 2 3 4 5 6 7 8 9 10 11 12+ 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 45 50	2 4 6 8 10 12 14 16 18	2 4 6 8 10 12 14 16 18	
Super compact duty	GSR 10,8-2-LI Professional	1.0	3-6	4-12		10
	GSR 10,8 V-LiQ Professional	0.9	3-6			-
	GWI 10,8 V-LI Professional	1.1	3-6	4-8		8
Basic Duty	GSR 14,4-2-LI Professional	1.3	3-6	4-24		10
Heavy Duty	GSR 14,4 VE-2LI Professional	2.3	3-11	4-45		13
Hammer Drill/Drivers						
			1 2 3 4 5 6 7 8 9 10 11 12+ 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 45 50	2 4 6 8 10 12 14 16 18	2 4 6 8 10 12 14 16 18	
Basic Duty	GSB 14,4-2-LI Professional	1.4	3-6	4-24	4-8	10
Heavy Duty	GSB 18 VE-2LI Professional	2.5	3-11	4-45	4-8	13
Rotary Hammers						
		Weight incl. battery (kg)	Drilling dia. in concrete (mm)	Drilling dia. in wood (mm)	Drilling dia. in metal (mm)	Drilling dia. in masonry (mm)
			4 8 12 16 20 24 28 32 36 40 44 48 52+ 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 45 50	2 4 6 8 10 12 14 16 18	2 4 6 8 10 12 14 16 18	2 4 6 8 10 12 14 16 18
Super Duty	GBH 36 V-LI Professional	4.3	8-24	4-45	4-8	68

Cordless Tools – Nickel Technology



Bosch Intelligent Nickel O-Pack Battery Technology.

Bosch battery packs are high-performance, intelligent, robust and extremely easy to handle.

► **High performance:**

The type of screw/drilling diameters or plank thicknesses that can be processed depends on the battery voltage. The number of screws, holes or sawn metres that can be achieved with one battery charge depends on the battery capacity (Ah). The high-quality materials and cells used by Bosch, combined with many years of experience in battery technology, guarantee powerful working, a long runtime and a long battery pack service life.

► **Intelligent:**

In addition to the power contacts (+/-), Bosch battery packs also have an NTC and coding contact. Both contacts guarantee fast and life-prolonging charging of the battery packs. The NTC contact ensures a charge ideally tuned to the state of the battery. The coding contact is used for identification of the battery pack. The patented APT insertion end prevents incorrect insertion and ensures 100% full charge.

► **Robust:**

The cells used in Bosch battery packs guarantee a long service life. Intensive laboratory and test series ensure the quality and robustness of the battery packs.

► **Comfortable:**

The patented locking system and ergonomic shape of Bosch battery packs ensures easy insertion and removal as well as a firm hold, even with strong vibrations.



Cordless Drill/Driver**GSR 7,2-2 Professional****Compact tool for universal use**


- ▶ Ideal power transfer by 2-speed gearbox
- ▶ 25 torque settings + drill setting
- ▶ Excellent handling due to the compact size

Other features

- ▶ Softgrip for best handling and convenient working
- ▶ Forward/reverse rotation



Technical data	
Order number	0 601 918 ...
Torque, max. (hard screwdriving applications)	21 Nm
No-load speed (1st gear/2nd gear)	0 - 400 / 1000 rpm
Max. screw diameter	6 mm
Torque settings	25+1
Chuck clamping range	1 - 10 mm
Scope of supply	... NK0
Carrying case	x
Charger AL 1411 DV (SP no. 2 607 224 391)	x
2 x 2.0 Ah NiCd battery (2 607 335 175)	x

7.2 V **1.4 kg****Cordless Drill/Driver****GSR 9,6-2 Professional****Compact tool for universal use**


- ▶ Ideal power transfer by 2-speed gearbox
- ▶ 25 torque settings + drill setting
- ▶ Excellent handling due to the compact size

Other features

- ▶ Softgrip for best handling and convenient working
- ▶ Forward/reverse rotation



Technical data	
Order number	0 601 918 ...
Torque, max. (hard screwdriving applications)	25 Nm
No-load speed (1st gear/2nd gear)	0 - 400 / 1000 rpm
Max. screw diameter	6 mm
Chuck clamping range	1 - 10 mm
Scope of supply	... LK0
Carrying case	x
Charger AL 1411 DV (SP no. 2 607 224 391)	x
2 x 1.5 Ah NiCd batteries	x

9.6 V **1.5 kg**

Cordless Drill/Driver**GSR 12 V Professional****Compact and durable. For small to medium screw and drilling diameters**

- ▶ Compact design offers perfect handling for working overhead and in tight spaces
- ▶ Long running performance: up to 130 screws (6x60 mm) in softwood with one battery charge
- ▶ Extremely robust: fully functional, even after falling from a height of 2 m onto concrete thanks to the "Dura Shield" housing


Other features

- ▶ Versatile range of applications due to wide torque spectrum of the newly developed 2-speed gearbox with metal gears

Technical data	
Order number	0 601 995 ...
Torque, max. (hard screwdriving applications)	36 Nm
No-load speed (1st gear/2nd gear)	0 - 400 / 1400 rpm
Max. screw diameter	7 mm
Max. drilling diameter in wood	28 mm
Max. drilling diameter in steel	13 mm
Torque settings	20+1
Chuck clamping range	1.5 - 13 mm
Scope of supply	
Carrying case (2 605 438 634)	x
Charger AL 2450 DV (2 607 225 028)	x
Keyless chuck 13 mm (2 608 572 182)	x
2 x 2.6 Ah NiMH batteries (2 607 335 684)	x



STANDARD DUTY SD

12 V **1.9 kg****Cordless Drill/Driver****GSR 12-2 Professional****Compact tool for universal use**


- ▶ Ideal power transfer by 2-speed gearbox
- ▶ 25 torque settings + drill setting
- ▶ Excellent handling due to the compact size

Other features

- ▶ Softgrip for best handling and convenient working
- ▶ Forward/reverse rotation



Technical data	
Order number	0 601 918 ...
Torque, max. (hard screwdriving applications)	27 Nm
No-load speed (1st gear/2nd gear)	0 - 400 / 1200 rpm
Max. screw diameter	7 mm
Chuck clamping range	1 - 10 mm
Scope of supply	
Carrying case	x
Charger AL 1411 DV (SP no. 2 607 224 391)	x
2 x 1.5 Ah NiCd batteries	x

12 V **1.6 kg**

SP no. = Spare part number